

# Notice of Allowability

Application No.

09/841,817

Examiner

Michael Kornakov

Applicant(s)

WU ET AL.

Art Unit

1746

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12/02/2003.
2. ☒ The allowed claim(s) is/are 1,3 and 6-9.
3. ☒ The drawings filed on 24 April 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☒ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
  - (a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No. \_\_\_\_\_.
  - (b) ☐ including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
  - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

- |  |   |
|--|---|
| 1 <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)          |
| 2 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                    | 6 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____             |
| 3 <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____  | 7 <input checked="" type="checkbox"/> Examiner's Amendment/Comment                  |
| 4 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
|  | 9 <input type="checkbox"/> Other  |

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. C. Wu, esq., on 12/23/03.

The application has been amended as follows:

#### **In claims**

Cancel claims 10-20.

Claims 10-20 are cancelled as non-elected by Applicants (Applicants' remarks, dated 04/03/2003) in reply to restriction requirement, introduced in the Office Action, dated 01/06/2003.

In claim 1 after the words "sputtering an argon gas" insert the word ---plasma---  
This amendment is made in order to emphasize the nature of specific processing step

#### **In the Abstract**

Replace the current Abstract with the following:

--- A method is provided for cleaning a dual damascene structure. A first metal layer, a cap layer, and a dielectric layer are formed on a substrate in sequence. Then a dual damascene opening is formed in the dielectric layer and the cap layer, exposing the first metal layer. Next, a post-etching cleaning step is carried out to clean the dual damascene opening using a fluorine-based solvent. Then, an argon gas plasma is

Art Unit: 1746

sputtered to clean the dual damascene opening before a second metal layer fills in the dual damascene opening.---

#### **Allowable claims**

2. Claims 1, 3, 6-9 are allowable over the prior art of record.

#### **Reasons for Allowance**

3. The following is an examiner's statement of reasons for allowance:

Applicants have amended claim 1 to **introduce fluoride acetate acid as a principal solvent** in their cleaning method. It is shown by Applicants that the use of fluoride acetate acid can prevent erosion on the metal layer during processing, thus making the use of this solvent critical for the claimed process. Furthermore, the use of fluoride acetate in combination with chelating and oxidizing agents results in a better removal of polymer residues. Therefore, the combination of method steps for cleaning a dual damascene opening with exposed metal layer using the solvent, as instantly claimed, is not anticipated or suggested fairly by the closest prior art references, recited in previous Office Actions.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1746

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Kornakov whose telephone number is (703) 305-0400. The examiner can normally be reached on 9:00am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski can be reached on (703) 308-4333. The fax phone number for the organization where this application or proceeding is assigned is (703) 872 9310.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308 2450.

*Michael Kornakov*

*12/24/03*

Michael Kornakov  
Examiner  
Art Unit 1746